FacilityPro® Pharmaceutical Net Pro 6.0

Environmental Monitoring Software

- Centralized clean room control
- CFR Part 11 compliant
- · Flexible, modular, and up to date

Without measurement there is no control

Environmental Monitoring Software

FacilityPro® Pharmaceutical Net Pro software is your all in one solution for environmental contamination control, providing real-time particles, microbial, and environmental sensors control to enhance the production process of your cleanroom.

Designed for Industrial Standards

The FacilityPro system is designed to ensure reliability, security, and data integrity, thanks to the multi-layer industrial architecture:

- Dedicated Processor (DCS) handles incoming data and critical automation.
- Software HMI provides a visual interface for data management, display, and reporting.
- PMS proprietary communication unlock reliable data buffer to eliminate data loss risk and ensure business continuity.

The software offers intelligent features such as area segregation, intuitive visual mapping, alarming, reporting, and recipe-driven sampling.



- Enhanced data security with redundancy server configuration
- 100% designed for pharmaceutical environmental monitoring
- Real-time control of cleanroom contamination trends
- Meets data integrity requirements, including 21 CFR Part 11
- Modular design to ensure scalability
- GAMP V category 4 solution for agile system validation and commissioning
- Flexible integration with complex network infrastructure
- Trustworthy solution with 50+ years of experience and thousands of systems actively running around the world.
- Locally supported by our experts.

FEATURES

- Area management with user and sensor data segregation capabilities
- Customizable map for visual indication of viable, nonviable, and environmental status
- Automatic report and trend generation with built-in digital signature
- Tailored multi-level security privilege configuration compatible with Windows® Active Directory and LDAP
- Email Alarm notification and e-signature acknowledgment
- Custom virtual points for easy environmental sensor data evaluation
- Configurable reports including audit, statistics, and trend reports
- Batch identifiers and data filters
- Volume-based or time-based viable sampling
- Up to 25 concurrent clients connection
- Enhanced long-term statistical data analysis
- Seamless integration with third party solution using the OPC UA communication protocol and Data transfer feature

APPLICATIONS

Monitoring of critical environments including:

- Filling lines
- Isolators and RABS
- Blow-Fill-Seal
- Lyophilizer processes and transfer carts
- Biosafety cabinets and flow hoods
- General cleanroom and facility monitoring



FacilityPro® Pharmaceutical Net Pro 6.0

Environmental Monitoring Software

Specifications

Minimum Hardware Specifications

PROCESSOR	Quad Core Processor, 3.40 GHz				
OPERATING SYSTEM	Windows Server 2019 Standard English 64 bit (1809 OS Build 17763.3650) Windows Server 2016 Standard English 64 bit (1607 OS Build 14393.5501)				
RAM	Minimum 8 GB				
HARD DISK 1	80 GB (for OS and applications)				
HARD DISK 2	1 TB (for Data)				
NETWORK	1 Network card				

Hardware Compatibility

FACILITYPRO PROCESSOR	1010, 3010, 5010 (FW 3.0 or later)
PARTICLE COUNTERS	Airnet II, IsoAir 310P, IsoAir Pro-E, IsoAir Pro-Plus, Lasair III, Lasair Pro
MICROBIAL SENSORS	MiniCapt Remote, MiniCapt Pro, MiniCapt Mobile, BioCapt Stainless Steel, BioCapt Single Use
ENVIRONMENTAL SENSORS	Any 4-20 mA or 0-10 V sensors

Subscription Packages

Features	Basic	Standard	Premium	Enterprise
Max sensor	8	32	64	>64
Server Redundancy		✓	✓	✓
Concurrent Clients	2	5	10	15 or 25
Support SLA	Basic	Standard	Premium	Custom
Windows OS KB	✓	✓	✓	✓
Software Updates	✓	✓	✓	✓
Statistical Data Analyzer		✓	✓	✓
Notification Hub		✓	✓	✓
OPC UA			✓	✓
SQL Data Exporter				✓

FacilityPro® Pharmaceutical Net Pro 6.0

Environmental Monitoring Software

Specifications

Max Sensors

The number of sensor channels available for the connection. The bundles define the quantity, and it is based on the following criteria:

- Sum of particle and microbial sensors
- Quantity of Analog Input

Example: choosing the Basic License you will be able to connect:

- 4 Particle counter
- 4 Microbial sensors
- 8 Analog Input

The limits are also subject to the hardware configuration. With the Enterprise license, you will be able to connect 384 Analog Inputs.

Support SLA

PMS offers global Technical Support to ensure the availability of localized experts. Using a dedicated tier segmentation and ticketing system, support requests are prioritized based on criticality to assure quick response to the customer.

The SLA differentiation is based on the "first reply time":

Basic: within 24 hours Standard: within 8 hours Premium: within 4 hours

Enterprise: customized based on customer necessity

Windows OS KB

The PMS software and hardware are designed to prevent unexpected vulnerabilities, and our communication protocols and software are constantly updated to ensure the security of your environment. With this service, we regularly test the KB and update patches published by Microsoft with the scope to fix or prevent security vulnerabilities, while ensuring the stability and security of the software.

Software Updates

At PMS, we developed a six-month update release strategy to offer the customer an optimized, enhanced, and reliable experience. Voice of Customer (VoC) and Regulatory Standard Review support the release of what is needed and develop a consistent software roadmap following a continuous improvement strategy.

Statistical Data Analyzer

The Statistical Data Analyzer is a data analysis tool with advanced features. It allows for visualizing data in chart form for detailed statistical analysis and generating detailed reports for even the largest data sets. This cutting-edge tool is the perfect solution for businesses looking to stay on top of their data.

Notification Hub

The Notification Hub is integrated with our software and designed to alert you promptly and accurately of any alarms that happen in your pharmaceutical processes. You can customize the types of notifications you receive and who gets them, so you can use the tool to meet your specific needs.

OPC UA

With OPC UA, you can connect and communicate with any industrial device or system, regardless of the manufacturer or software platform. This means you can monitor and control your processes more efficiently, reduce downtime, and improve overall productivity

SQL Data Exporter

The SQL Exporter, data integrity proof, is a tool that stores the data on a specific table in the Database and allows the connection to any external software without compromising the raw data.

HEADQUARTERS

Boulder, Colorado 80301 USA T: +1 303 443 7100

Instrument Service & Support T: +1 303-443-7100 ext 447

Service and Calibration

E: workorders@pmeasuring.com Technical Support

E: techsupport@pmeasuring.com Software or System Support

E: ssupport@pmeasuring.com

Customer Service and Order Processing E: customerorders@pmeasuring.com

www.pmeasuring.com info@pmeasuring.com



GLOBAL OFFICES

AUSTRIA

T: +43 512 390 500

E: pmsaustria@pmeasuring.com

BENELUX

T: +32 10 23 71 56

E: pmsbelgium@pmeasuring.com

BRAZIL

T: +55 11 5188 8227

E: pmsbrazil@pmeasuring.com

CHINA

T: +86 21 6113 3600

E: pmschina@pmeasuring.com

FRANCE

T: 33(0)1 60 10 32 96

E: pmsfrance@pmeasuring.com

GERMANY

T: +49 6151 6671 632

E: pmsgermany@pmeasuring.com

ITALY

T: +39 06 9053 0130

E: pmssrl@pmeasuring.com

JAPAN

T: +81 44 589 3498

E: pmsjapan@pmeasuring.com

KOREA

T: +82 31 286 5790

E: pmskorea@pmeasuring.com

MEXICO

T: +52 55 2271 5106

E: pmsmexico@pmeasuring.com

NORDIC

T: +45 707 028 55

E: pmsnordic@pmeasuring.com

PUERTO RICO

T: +1 787 718 9096

E: pmspuertorico@pmeasuring.com

SINGAPORE

T: +65 6496 0342

E: pmssingapore@pmeasuring.com

SWITZERLAND

T: +41 71 987 01 01

E: pmsswitzerland@pmeasuring.com

TAIWAN

T: 886-3-5525300 Ext: 301

E: pmstaiwan@pmeasuring.com

